

Emmanuel Filiot

**Nicolas Mazzocchi**

Jean-François Raskin

Université libre de Bruxelles  
FCT 2017 – Bordeaux

# Decidable Weighted Expressions with Presburger Combinators

# Boolean vs Quantitative Languages

$$L : \Sigma^* \rightarrow \{0, 1\}$$

## Classical decision problems

<b>Emptiness</b>	$\exists u. f(u) \geq 1$
<b>Universality</b>	$\forall u. f(u) \geq 1$
<b>Inclusion</b>	$\forall u. f(u) \geq g(u)$
<b>Equivalence</b>	$\forall u. f(u) = g(u)$

# Boolean vs Quantitative Languages

$$L : \Sigma^* \rightarrow \{0, 1\} \mathbb{Z} \cup \{-\infty\}$$


## Classical **quantitative** decision problems

<b>Emptiness</b>	$\exists u. f(u) \geq \cancel{1} \nu$	for some threshold $\nu$
<b>Universality</b>	$\forall u. f(u) \geq \cancel{1} \nu$	for some threshold $\nu$
<b>Inclusion</b>	$\forall u. f(u) \geq g(u)$	
<b>Equivalence</b>	$\forall u. f(u) = g(u)$	


# Classical Model: Weighted Automata

$(\max, +)$  WA

Transition sequence




Non-determinism




# Classical Model: Weighted Automata

(max,+) WA

Transition sequence



Non-determinism



**Undecidability [Krob 1994]**

- Quantitative language-inclusion is undecidable for (max,+) WA
- ▶ Even for linearly ambiguous automata [Colcombet 2010]

# Decidable Formalisms: Restriction

## Finitely ambiguous (max,+ ) WA

---

Define functions of the form,

$$u \mapsto \max\{\mathcal{A}_1(u), \dots, \mathcal{A}_k(u)\}$$

$\mathcal{A}_i$  : Unambiguous WA

- 😊 Quantitative decision problems are DECIDABLE [Filiot et al. 2012]
- 😊 Closed under *max* and *sum*
- 😞 Limited expressive power (*min*, *minus*, ...)

# Decidable Formalisms: New model

## Mean-payoff expressions [Chatterjee et al. 2010]

$$E ::= \mathcal{A} \mid \max(E, E) \mid \min(E, E) \mid E + E \mid -E$$

$\mathcal{A}$  : Deterministic WA

- 😊 Quantitative decision problems are PSPACE-COMplete [Velner 2012]
- 😊 Closed under *max*, *min*, *sum* and *minus*
- 😞 Determinism (define Lipschitz continuous functions)
- 😞 Does **not** contain all finitely ambiguous (*max*,*+*) WA
- 😞 Monolithism (apply on the whole word)

# Contributions


## 1 Simple expressions

$$E ::= \mathcal{A} \mid \phi(E, E)$$


$\mathcal{A}$  : Unambiguous WA

$\phi$  :  $\exists \text{FO}[\leq, +, 0, 1]$  formula defining function with arity two

### Example



$$E = \max(\mathcal{A} - \mathcal{B}, \mathcal{B} - \mathcal{A})$$



$$u \mapsto |\mathcal{A}(u) - \mathcal{B}(u)|$$



# Contributions

## 1 Simple expressions

$$E ::= \mathcal{A} \mid \phi(E, E)$$

$\mathcal{A}$  : Unambiguous WA

$\phi$  :  $\exists \text{FO}[\leq, +, 0, 1]$  formula defining function with arity two


- 😊 Quantitative decision problems are PSPACE-COMPLETE
- 😊 Closed under Presburger definable functions
- 😊 Contain all finitely ambiguous  $(\max, +)$  WA
- 😞 Monolithism (apply on the whole word)

# Contributions

## 2 Iterable expressions

$$E ::= \mathcal{A} \mid \phi(E, E) \mid E^*$$

- ▶ Unique decomposition required
- ▶ Sum arbitrarily many factors



## Examples

 $E^*$ 

$$u_1 \heartsuit u_2 \heartsuit \dots u_n \heartsuit \mapsto \sum_{i=1}^n E(u_i)$$

 $\phi(E^*, F^*)$ 

$$u \mapsto \phi\left(\sum_{i=1}^n E(u_i), \sum_{j=1}^m F(v_j)\right)$$

# Undecidability

## Theorem

*Quantitative decision problems are UNDECIDABLE for iterable expressions*

*Proof* by reduction from the 2-counter machine halting problem


*Run*  $\dots (q_1, (x \mapsto c_1, y \mapsto d_1)) (q_2, (x \mapsto c_2, y \mapsto d_2)) \dots$

*Input*  $\dots \vdash q_1 a^{c_1} b^{d_1} \triangleleft \triangleright q_2 a^{c_2} b^{d_2} \dashv \vdash q_2 a^{c_2} b^{d_2} \triangleleft \dots$

- ▶ regular constraints: initial, final, transitions,  $(\vdash Qa^*b^* \triangleright \triangleleft Qa^*b^* \dashv)^*$
- ▶ copy:  $E$  on factors  $\triangleright \dots \triangleleft$  return 0 if correct and  $< 0$  otherwise
- ▶ incr. / decr.:  $F$  on factors  $\vdash \dots \dashv$  return 0 if correct  $< 0$  otherwise
- ▶ decide:  $E^{\otimes} + F^{\otimes} \geq 0$




# Synchronisation of expressions



## Theorem

- ▶ *Synchronisation property is decidable in PTIME*
- ▶ *Synchronised iterable-expression are DECIDABLE*

# Weighted Chop Automata




## New model

- ▶ Generalise unambiguous WA
- ▶ Recursive definition

# Weighted Chop Automata

Regular language




## New model

- ▶ Generalise unambiguous WA
- ▶ Recursive definition

# Weighted Chop Automata

Regular language




Presburger formula  
using sub-WCA

## New model

- ▶ Generalise unambiguous WA
- ▶ Recursive definition

# Weighted Chop Automata

Regular language



Presburger formula  
using sub-WCA

## New model

- ▶ Generalise unambiguous WA
- ▶ Recursive definition

## Example

input :  $aa \heartsuit ba \heartsuit$


dec :  $(aa \heartsuit, \phi(C_1, C_2))(ba \heartsuit, \phi'(C'))$

val :  $\phi(C_1(aa \heartsuit), C_2(aa \heartsuit)) + \phi'(C'(ba \heartsuit))$



# Weighted Chop Automata

Regular language



Presburger formula  
using sub-WCA

## New model

- ▶ Generalise unambiguous WA
- ▶ Recursive definition

## Example

input :  $aa \heartsuit ba \heartsuit$

dec :  $(aa \heartsuit, \phi(C_1, C_2))(ba \heartsuit, \phi'(C'))$

val :  $\phi(C_1(aa \heartsuit), C_2(aa \heartsuit)) + \phi'(C'(ba \heartsuit))$

## Operators for expressiveness equivalence

$E \odot F : u_1 u_2 \mapsto E(u_1) + F(u_2)$

$E \triangleright F : u \mapsto \text{if } u \in \text{dom}(E) \text{ then } E(u) \text{ else } F(u)$

} [Alur 2014]

# Synchronisation of WCA

## Definition of $C_1 \parallel C_2$

Given  $C_1, C_2$  two  $k$ -WCA, for all  $u \in \text{dom}(C_1) \cap \text{dom}(C_2)$  such that

$$\begin{aligned}\text{dec}_{C_1}(u) &= (u_1, \phi_1)(u_2, \phi_2) \dots (u_n, \phi_n) \\ \text{dec}_{C_2}(u) &= (v_1, \psi_1)(v_2, \psi_2) \dots (v_m, \psi_m)\end{aligned}$$

then  $n = m$ ,  $u_i = v_i$  and  $\phi_i \parallel \psi_i$

## Proposition

The product is well defined for synchronised  $k$ -WCA

$$p \xrightarrow{L|\phi} q, \quad p' \xrightarrow{L'|\phi'} q' \rightsquigarrow (p, p') \xrightarrow{L \cap L' | (\phi, \phi')} (q, q')$$

# Decidability

## Theorem

*The range of a synchronised WCA is semilinear*

*Proof* by structural induction on the WCA.

- ▶ Base case: Simple expressions have a semilinear range
- ▶ Induction step: Assume  $p \xrightarrow{L_{p,q} | \phi(C_1, \dots, C_n)} q$  have semilinear range  $S_{p,q}$ 
  1. Morphism  $\mu$  from  $(Q \times Q)^*$  to the monoid of semilinear sets:  
 $\mu((p, q)) = S_{p,q}$   
If  $L$  regular then  $\mu(L)$  is semilinear  
Take  $L$  as the set of accepting run, regular since all  $L_{p,q}$  are
  2.  $\prod_{i=1}^n C_i$  has a semilinear range  $S_C \subseteq \mathbb{Z}^n$  by induction on  $n$   
 $\phi(x_1, \dots, x_n)$  has a semilinear range  $S_\phi \subseteq \mathbb{Z}^n$   
Take  $S_\phi \cap S_C$



# Synchronised translation

## Theorem

*A quantitative language realised by a synchronised iterable-expression can be realised by a synchronised WCA*

*Proof* by structural induction of the expression

- ▶  $A$ : obvious
- ▶  $\phi(E_1, E_2)$ : construct  $C_1, C_2$  by induction such that  $C_1 \parallel C_2$   
then define  $C$  as  $q_0 \xrightarrow{\text{dom}(C_1) \cap \text{dom}(C_2) | \phi(C_1, C_2)} q_1$
- ▶  $(A, E^{\otimes})$ :
  1. chop  $A$  into smaller WA  $A_{s,t}$  restricted to  $\text{dom}(E)$
  2. construct all  $C_{s,t}$  and  $C$  by induction
  3. define  $C_A$  as  $p \xrightarrow{L(A_{p,q}) | \phi_{id}(C_{p,q})} q$  (same set of states than  $A$ )
  4. define  $C^{\otimes}$  with the trivial loop  $q_0 \xrightarrow{\text{dom}(E) | \phi_{id}(C)} q_0$



# Conclusion

## Summary


Simple expressions: PSPACE-COMplete

Sum-iterable expressions: UNDECIDABLE

Synchronised sum-iterable expressions: DECIDABLE

## Perspective

Iterate other operations (*max*, Presburger definable functions, ...)



*Thanks!*